

MATERIAL SAFETY DATA SHEET

LYMAN PRODUCTS CORPORATION
475 SMITH ST. MIDDLETOWN, CT 06457-1541

SECTION I: PRODUCT IDENTIFICATION/EMERGENCY INFORMATION

PRODUCT NAME: IDEAL BULLET LUBE 2857275
CHEMICAL NAME: PETROLEUM HYDROCARBONS
CHEMICAL FAMILY: HYDROCARBONS
EMERGENCY PHONE: 1-860-632-2020
LYMAN CASE NUMBER: LYMAN008 CASE NAME:

SECTION II: HAZARDOUS INGREDIENTS

CARBON

SECTION III: PHYSICAL DATA

BOILING POINT: >600 DEG. F
VAPOR PRESSURE: <.1
VAPOR DENSITY: N/A
SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE/ODOR: BLACK WAXY SOLID
SPECIFIC GRAVITY: 1.7-1.9
VOLATILE (%): N/A
EVAPORATION RATE: N/A

SECTION IV: FIRE AND EXPLOSION DATA

FLASH POINT: >400 DEG. F
FLAMMABLE LIMITS: N/A
EXTINGUISHING MEDIA: CO 2, FOAM DRY CHEMICAL AND WATER FOG
SPECIAL FIRE FIGHTING PROCEDURES: NORMAL FOG OR NOZZLE JET APPLICATION
UNUSUAL FIRE/EXPLOSION HAZARDS: MAY GENERATE VAPORS WHEN BURNING.

DATE REVISED: FEBRUARY 23, 1995 DATE PRINTED: 2/23/95

2

INHALATION: REMOVE FROM EXPOSURE

EYE CONTACT: RINSE THOROUGHLY WITH WATER

INGESTION: NOT EXPECTED TO BE A PROBLEM BUT IN THE EVENT SEEK MEDICAL ATTENTION.

SKIN CONTACT: WASH AFFECTED AREA WITH SOAP AND WATER.

RESPIRATORY: MASK IS RECOMMENDED

VENTILATION: LOCAL EXHAUST ADEQUATE

GLOVES: SHOULD BE USED TO HANDLE HOT MATERIAL

EYES: NORMAL PROTECTION FROM DUST

SPECIAL: PROTECTION SHOULD BE USED IF HANDLING HOT LIQUID

IF RELEASED OR SPILLED: IF SOLID-SWEEP UP MATERIAL

IF HOT LIQUID- ATTEMPT TO CONFINED THE SPILL AND LET THE LUBE SOLIDIFY

WASTE DISPOSAL: BURN IN AN APPROVED HYDROCARBON INCINERATOR
OR BURY IN AN APPROVED LANDFILL.

STABILITY: STABLE

HAZARDOUS DECOMPOSITION PRODUCTS:
WILL NOT OCCUR

MATERIAL/CONDITIONS TO AVOID: EXCESSIVE HEAT AND STRONG OXIDIZERS SUCH AS NITRATES.

STORAGE TEMP: N/A

PRECAUTIONS: N/A

US DOT CLASSIFICATION: N/A

EPA HAZARDOUS SUBSTANCE: N/A

CARCINOGENIC: N/A

MATERIAL SAFETY DATA SHEET (CONTINUED)

SECTION X: SUPPLEMENTARY INFORMATION

NONE

END OF MSDS: